

REV.	DESCRIPTION	DRW.	CHK.	APP.	DATE
A	RELEASE				

SPECIFICATIONS

Current Rating:
3 Amp

Insulator resistance:
5000 Megohms Min.

Contact resistance:
20 m ohms Max.

Dielectric withstanding:
AC 1000V/minute

Operating Temperature:
-40° ~ +105°C

Contact Material:
BRASS

Insulator Material:
High Temperature Thermoplastic
+Glass Fibre UL94V-0

Color: Black

Finish:
Gold, Tin or Duplex plated
Standard: Gold flash all over
Duplex plated:
Gold plated on contact area
Tin on solder area

RoHS Compliance

ORDERING INFORMATION

21X12464-XXXXXX-XXX-XXX-XXX

Material
B PBT
N Nylon-6T
L LCP

Row of plastic
Single Row

Plastic Height
3.00mm

Squite & Pitch
0.64sq x PH2.54mm

Number of Contact
02-40

Exterior
Referenced Sheet 3/3



Adjunctive Code
Referenced Sheet 2/3

Dimension
A
6/3
6/3/1.5
A/B/C

Plating Type
G Gold Plated
T Tin Plated
H Duplex Plated

Contact Plating
01 Normal
03 3µ"
05 5µ"
10 10µ"

Color
B Black
R Red
U Blue
...




示意圖

Ref.


APP.		ANGLES	±3°	SIZE	A4
成品規格圖		LINEAR	0.0	±0.38	NONE
TITLE 2.54mm Pin Header 12464 Series				0.00±0.25	SHEET 1/3
PART NO 21X12464-XXXXXX-XXX-XXX-XXX		CHK.			
DRW NO		DR. KEN			
UNIT mm(INCH)		PROJECT		96.01.04	
5		6		7	
3		4		8	





ADJUNCTIVE CODE

21X12464-XXXXXX-XXX-XXX-ABCDEFMSXYZKVRWNHXXPX



- 加 CAP
- 加圓片端子
- 加 WAFER
- 加 Mini Jumper
- 彎角 or SMT+DIP

CUTTER

塑膠彩色印刷

高低針

跳PIN

成品兩側打Kink






磷銅端子

紅銅端子

Ref.

成品規格圖		APP.	ANGLES	±3°	SIZE	A4
TITLE: 2.54mm Pin Header 12464 Series		CHK.	LINEAR	0.0 ±0.38	SCALE	NONE
PART NO: 21X12464-XXXXXX-XXX-XXX-XXX				0.00±0.25	SHEET	2/3
DRW NO		DR.	KEN			
UNIT: mm(INCH)		PROJECT	96.01.04			



1	2	3	4	5	6	7	8																																		
A	<table border="1"> <tr> <th>REV.</th> <th>DESCRIPTION</th> <th>DRW.</th> <th>CHK.</th> <th>APP.</th> <th>DATE</th> </tr> <tr> <td>A</td> <td>RELEASE</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>							REV.	DESCRIPTION	DRW.	CHK.	APP.	DATE	A	RELEASE											H															
REV.	DESCRIPTION	DRW.	CHK.	APP.	DATE																																				
A	RELEASE																																								
B	<p>J10</p>  <p>J11</p>  <p>J1P</p>  <p>D10</p>  <p>D1P</p>  <p>21X12464-XXJ10X-XXX-A-XXX Exterior</p> <p>21X12464-XXJ1PX-XXX-A-XXX Exterior</p> <p>21X12464-XXD10X-XXX-A/B/C-XXX Exterior</p> <p>21X12464-XXD1PX-XXX-A/B/C-XXX Exterior</p>							H																																	
C	<p>21X12464-XXJ10X-XXX-A-XXX Exterior</p> <p>21X12464-XXJ1PX-XXX-A-XXX Exterior</p> <p>21X12464-XXD10X-XXX-A/B/C-XXX Exterior</p> <p>21X12464-XXD1PX-XXX-A/B/C-XXX Exterior</p>							H																																	
D								H																																	
E								H																																	
F								H																																	
G	<p style="text-align: center; font-size: 2em; font-weight: bold;">Ref.</p>							H																																	
H	<table border="1"> <tr> <td colspan="2" rowspan="2" style="text-align: center;">成品規格圖</td> <td>APP.</td> <td>ANGLES</td> <td>±3°</td> <td>SIZE</td> <td>A4</td> </tr> <tr> <td>CHK.</td> <td>LINEAR</td> <td>0.0 ±0.38</td> <td>SCALE</td> <td>NONE</td> </tr> <tr> <td>TITLE</td> <td colspan="2">2.54mm Pin Header 12464 Series</td> <td>DR.</td> <td colspan="2">KEN</td> <td>96.01.04</td> </tr> <tr> <td>PART NO</td> <td colspan="2">21X12464-XXXXXXXX-XXX-XXX-XXX</td> <td>UNIT</td> <td>mm(INCH)</td> <td>PROJECT</td> <td>◎ □</td> </tr> <tr> <td>DRW NO</td> <td colspan="2"></td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> </tr> </table>							成品規格圖		APP.	ANGLES	±3°	SIZE	A4	CHK.	LINEAR	0.0 ±0.38	SCALE	NONE	TITLE	2.54mm Pin Header 12464 Series		DR.	KEN		96.01.04	PART NO	21X12464-XXXXXXXX-XXX-XXX-XXX		UNIT	mm(INCH)	PROJECT	◎ □	DRW NO			5	6	7	8	H
成品規格圖		APP.	ANGLES	±3°	SIZE	A4																																			
		CHK.	LINEAR	0.0 ±0.38	SCALE	NONE																																			
TITLE	2.54mm Pin Header 12464 Series		DR.	KEN		96.01.04																																			
PART NO	21X12464-XXXXXXXX-XXX-XXX-XXX		UNIT	mm(INCH)	PROJECT	◎ □																																			
DRW NO			5	6	7	8																																			
